KLS AUTOMATION
SDN BHD

TM70 Touch
Intuitive Touchscreen



Features

- 7" vivid color display
- Built-in zone input
- Customizable labels (zones, partitions, users, doors, and PGMs)
- External SD Media Card slot (4 GB with 2 GB of free space) for uploading photos; acts like a digital picture frame
- Firmware upgradable via SD card
- Indoor temperature reading
- In-wall bracket (optional)
- Compatible with Swan, EVO, Spectra and Magellan

TM50 Touch
Interactive Touchscreen



Features

- Thin, sleek design
  - 5.0 in. / 12.7 cm vivid color display (480 x 272 pixels)
  - Intuitive, icon-based menus - no manual needed
- Control up to 8 PGM outputs
- In-field firmware upgradable via micro SD card
- Powerful advanced processor
- 1 zone/temperature input to connect a detection device or a TEMP07 (External Temperature Sensor)
- Customized translation via web application
- Surface-mount installation only; dimensions 14.4 x 9.6 x 1.4 cm (5.7 x 3.8 x 0.6 in.)
- Available in classic Piano Black and Pristine White, as well as other exciting designer colors

Highlights

- **User-Friendly**

Featuring intuitive menus and icons, ultra-fast response time when scrolling through pages, and clear and precise menu-driven prompts; the TM50 makes the user experience easier and friendlier than ever

- **SpotOn Alarm LocatorTM**

This optional feature allows the user to upload up to 32 floor plans to the TM50, providing a graphic verification of zone locations customizable with illustrations or photographs.

- **OneScreen MonitoringTM**

This optional feature displays the arming status of all partitions and zones. Also, with Solo TestT mode, you can easily test all system zones right from the TM50's screen.

- **External SD Media Card Slot**

Used to upload photos for use with the slide show function and easily upgrade firmware.

- **Customizable Labels**

Allows the user to customize and edit zones, areas, users, and PGM labels.

K32LCD+
32-Character Hardwired LCD Keypad Module





Features

- Beautiful new design
- 32-character blue LCD with programmable labels
- Real-time zone alarm display (until disarmed)
- In-field firmware upgrade via 307USB
- StayD status LED
- Menu-driven programming for easy system setup (installer and end user)
- 1 keypad zone input
- Independently set chime zones
- 8 one-touch action buttons
- 3 keypad-activated panic alarms
- Adjustable backlight, contrast and scroll speed
- Connects to 4-wire expansion bus
- Compatible with MG5000, MG5050, MG5075, and Spectra SP series V2.31 and up
- Compatible with SP4000, SP65 V4.90 and up

K32+
32-Zone Hardwired LED Keypad Module





Features

- Beautiful new design
- Supports StayD Mode
- 32-zone LED display
- Separate Arm, Sleep, Stay and Off LEDs per partition
- In-field firmware upgrade via 307USB and WinLoad
- 1 keypad zone input
- Independently set chime zones
- 7 one-touch action buttons
- 3 keypad-activated panic alarms
- Adjustable backlight
- Connects to 4-wire communication bus
- Compatible with MG5000, MG5050, MG5075 and Spectra SP series

KLS AUTOMATION
SDN BHD

K10H
10-Zone Hardwired LED Keypad Module (Horizontal)



Features

- Supports StayD Mode
- 10-zone LED display
- Separate Arm, Sleep, Stay and Off LEDs per partition
- Patented Key Light display (button lights up to indicate an open zone)
- 1 keypad zone input
- Independently set chime zones
- 7 one-touch action buttons
- 3 keypad-activated panic alarms
- Adjustable backlight
- Connects to 4-wire communication bus
- Compatible with MG5000, MG5050, MG5075, and Spectra SP series

